



 <b>18-5251 TUNE-UP KIT</b> —CONTAINS— Part # 18-5314 Description Contact Set 18-5338 Condenser 18-5404 Rotor Mallory 8 cyl. Tall Cap	 <b>18-5255 TUNE-UP KIT</b> —CONTAINS— Part # 18-5303 Description Contact Set 18-5345 Condenser 18-5407 Rotor Prestolite 8 cyl.	 <b>18-5258 TUNE-UP KIT</b> —CONTAINS— Part # 18-5303 Description Contact Set 18-5347 Condenser 18-5407 Rotor Prestolite 8 cyl.	 <b>18-5259 TUNE-UP KIT</b> —CONTAINS— Part # 18-5303 Description Contact Set 18-5347 Condenser 18-5429 Rotor Prestolite 6 & 8 cyl.	
 <b>18-5260 TUNE-UP KIT</b> —CONTAINS— Part # 18-5303 Description Contact Set 18-5345 Condenser 18-5403 Rotor Prestolite 8 cyl.	 <b>18-5303 CONTACT SET</b> Replaces: 2421173, 2808870	 <b>18-5307 CONTACT SET</b> Replaces: 2084074, 1274092, 2421178	 <b>18-5314 CONTACT SET</b> Replaces: 2421820	
 <b>18-5338 CONDENSER</b> Replaces: 2098058, 2279949	 <b>18-5345 CONDENSER</b> Replaces: 2098058, 2279949	 <b>18-5347 CONDENSER</b> Replaces: 1818757, 3420600	 <b>18-5403 ROTOR</b>	
 <b>18-5404-1 ROTOR</b> Replaces: 868096	 <b>18-5407 ROTOR</b> Replaces: 1658535	 <b>18-5429 ROTOR</b> Replaces: 2098611	 <b>18-5430 ROTOR</b> Replaces: 868095	 <b>18-5300 ROTOR</b> Fits: Flamethrower Distributors
 <b>18-5352 DISTRIBUTOR CAP</b> Replaces: 4142817 Prestolite	 <b>18-5369 DISTRIBUTOR CAP</b> (With Gasket 18-5399) Replaces: 4142408 Prestolite	 <b>18-5376 DISTRIBUTOR CAP</b> Mallory	 <b>18-5473 DISTRIBUTOR CAP</b> Black Distributor Cap with Male Terminals for Flamethrower Distributors	 <b>18-5474 DISTRIBUTOR CAP</b> Red Distributor Cap with Male Terminals for Flamethrower Distributors

① Items ending in "D" are Display Packaged - Regular number is Non-Display

 <p><b>18-5301</b> <b>TUNE-UP KIT</b> Replaces: Fits: male cap v-8 flamethrower distributors</p>	 <p><b>18-5302</b> <b>TUNE-UP KIT</b> Replaces: Fits: male cap v-8 flamethrower distributors</p>	<p>Standard Rotation      CCW Rotation</p>  <p>If flywheel rotates to the left &amp; distributor rotor turns clockwise If flywheel rotates to the right &amp; distributor turns counter clockwise</p>										
 <p><b>18-5497-2</b> <b>ELECTRONIC DISTRIBUTOR</b> U.L. Approved • Conventional Rotation For: Chrysler V-8 273, 318 (1967-Up), 340, 360 CID "LA" Engines</p> <p>USES:</p> <table border="0"> <tr> <td>Part #</td> <td>Description</td> </tr> <tr> <td>18-5376</td> <td>Distributor Cap</td> </tr> <tr> <td>18-5404-1</td> <td>Rotor</td> </tr> <tr> <td>18-5491</td> <td>Reluctor</td> </tr> <tr> <td>18-5488</td> <td>Module</td> </tr> </table>	Part #	Description	18-5376	Distributor Cap	18-5404-1	Rotor	18-5491	Reluctor	18-5488	Module		
Part #	Description											
18-5376	Distributor Cap											
18-5404-1	Rotor											
18-5491	Reluctor											
18-5488	Module											

### PREMIUM MARINE SPARK PLUG WIRE LEADS

Sierra's MAGFORCE Ignition Wires are "Electronics Friendly" protecting all of your electronic devices and electronic engine controls from RFI and EMI while delivering the maximum amount of voltage. Exact fit design ensures easy installation and years of trouble - free service.



CHRYSLER MARINE IGNITION WIRES APPLICATION						
Engine	Cyl.	Distributor	Years	Year Stop	Plug Wire Set	
M273	8	Conventional & Electronic	1968-1974	1974	<b>18-8826-1</b>	
LM318	8	Conventional & Electronic	1968-1985	1985	<b>18-8826-1</b>	
M340	8	Conventional & Electronic	1968-1985	1985	<b>18-8826-1</b>	
M360	8	Conventional & Electronic	1975-1985	1985	<b>18-8826-1</b>	
361	8	Conventional & Electronic	1968-1985	1985	<b>18-8827-1</b>	
383	8	Conventional & Electronic	1960-1988	1988	<b>18-8827-1</b>	
400	8	Conventional & Electronic	1968-1985	1985	<b>18-8827-1</b>	
440	8	Conventional & Electronic	1968-1985	1985	<b>18-8827-1</b>	

## Ignitor® II FEATURES

- Senses current levels in the coil and adjusts the dwell to maintain peak energy throughout the entire RPM range.
- Develops, on average, 4 times more available energy between 3000 and 5000 RPM's and twice as much plug voltage as point-type systems.
- Ignition energy is sustained and coil life is increased when peak current level is reached just prior to spark.
- More stable timing.
- Use with **18-5472** "Flame Thrower II" Coil for optimum performance




**18-5286**  
**HI-PERFORMANCE ELECTRONIC CONVERSION KIT**  
Fits: 6 Cylinder Delco Distributors



## FEATURES

- ★ Replaces points & condensers for true solid state ignition.
- ★ Uses standard coil, cap and rotor.
- ★ Easy to install, one-piece, 2-wire hook-up.
- ★ Accurate to within 1/4° timing accuracy 0 to 6000 RPM range.
- ★ Can be used with Flame Thrower Coil 18-5469



**18-5294  
ELECTRONIC  
CONVERSION KIT**  
Fits: 6 cyl. Delco distributors



**18-5295  
ELECTRONIC  
CONVERSION KIT**

Fits: most 4 cyl. Prestolite distributors. (Except IBM 7026)  
For: Onan, Universal, Waukesha, Wisconsin

**18-5433  
IGNITION COIL**  
Replaces: 201522, 2495531  
Uses External Resistor



**18-5435  
IGNITION COIL**

4.0 OHM  
Replaces: 200691  
Has Internal Resistor



## FEATURES

- Oil filled for better cooling and long life
- Low resistance and improved turn ratios produces the higher voltage needed to run larger spark plug gaps for added power and better fuel economy
- More windings maximize energy and reliability over the full RPM range
- Fits existing brackets for easy installation

**18-5469  
HI-PERFORMANCE IGNITION COIL**

3.0 ohm (oil filled), black - 4 & 6 cylinder:  
Flame-Thrower 40,000 volt coil.

- Designed for use with the original Ignitor Electronic Conversion Kits
- Can be used with other inductive ignition systems



**18-5472  
HI-PERFORMANCE IGNITION COIL**

0.6 ohm (oil filled), black - 4, 6, & 8 cylinder:  
Flame-Thrower 45,000 volt coil.

- Super low 0.6 ohm resistance coil designed for use with the Ignitor II Hi Performance Electronic Conversion Kits
- Compatible with capacitive discharge systems



Sierra Part #

Description

Recommended Coil

Resistance Ohms

18-5294	Electronic Conversion Kit	18-5469	3.0
18-5295	Electronic Conversion Kit	18-5469	3.0
18-5286	Hi Performance Electronic Conversion Kit	18-5472	0.6



**18-5450  
COIL RESISTOR**  
15. OHM  
Replaces: 4106140



**18-5451  
COIL RESISTOR**  
1.5 OHM & 3.0 OHM  
Replaces: 3874767



**18-5102  
RELUCTOR**  
Replaces: 3656017

		
<b>18-5493</b> <b>IGNITION PICKUP</b> <b>COIL ASSEMBLY</b> Replacement pick-up coil for Accel Electronic Distributors	<b>18-5103</b> <b>IGNITION PICKUP</b> Replaces: 3780600	<b>18-5105</b> <b>IGNITION MODULE</b> Replaces: 3874020

**STANDARD IGNITION**

Year	Cyl.	Model	Distributor No.	Contact Set	Condenser	Rotor	Dist. Cap	Tune-Up Kit	Electronic Dist.
1949-60	6	M37, M47 (CROWN), M36	IAL-4004-1M, IGC-4510-1M	18-5307	18-5345 ③	18-5430	—	—	—
1955-60	8	M44 (IMPERIAL), M45 (ROYAL)	IBB-4102A	18-5303 ①	18-5347 ②	18-5404-1	—	—	—
1955-61	6	M49	IAO	18-5307	—	18-5430	—	—	—
1959-62	8	M80,81,M273X,M318,A,B,M413	IBM	18-5303	18-5347 ②	18-5407	18-5369	18-5258	18-5497-2 ④
1955-62	6	M36, M46, (ACE), M47 (CROWN), M46-3, 4, M49,TACK DRIVE	IAO-4109-1M, IAO-4113-1M	18-5307	18-5345 ③	18-5430	—	—	—
1961-65	6	M170,.225,MH225	2098748, 2444430	—	18-5347 ②	18-5430	—	—	—
1960-72	8	M80, 81, M273, A, B, X, M318A, B, C, X, M383, B, X, M413, B, D, E, M426, B, D, X, M426 HEMI	IBM-4106,08, A,B,C,09,A	18-5303	18-5347 ②	18-5407	18-5369	18-5258	—
1965-66	8	M318X	IBM-4120,5	18-5303	18-5347 ②	18-5429	—	18-5259	18-5497-2
1969-72	6	M225X	IBR-4205,A,AS	—	18-5347 ②	—	—	—	—
1970	8	M440X	IBB-4205	18-5303 ①	18-5347 ②	18-5407	18-5369	18-5258	—
1970	6	M265X	IAO-4114-1M	18-5307	18-5347 ②	18-5430	—	—	—
1960-72	8	M80, 80A, 81, 273X, 318A, B, C, X, M383, B, X, M413, B, D, E, M426B, D, X, M200, 225, 250, 260, 300, 335, 440X	IBM-4108B, C,9A	18-5303	18-5347 ②	18-5407	18-5369	18-5258	18-5497-2 ④
1972-77	6	M225X	IBR-7002,A,AS,S	18-5307	18-5345 ③	18-5430	—	—	—
1973	8	ALL	IBB-7003,S	18-5303 ①	18-5345 ③	18-5407	18-5369	—	18-5497-2 ④
1976	8	M318	3675979	18-5303	18-5347 ②	18-5407	—	18-5258	18-5497-2
1971-82	8	M273, ML318, ML340, ML440	IBM-7001,2, 3,IBM-7003B,BS, 7004A,B,AS, BS	18-5303	18-5345 ③	18-5407	18-5369	—	18-5497-2 ④
1983-88	8	273, 318, 340, 440	IBM-7016,7017	18-5303	18-5347 ②	18-5403	18-5352	18-5260	18-5497-2 ④
1971	8	M273, M318	IBM-4122	18-5303	18-5347 ②	18-5407	18-5369	18-5258	18-5497-2

① Two (2) used

② For lead wire type use [18-5345](#)③ For strap type use [18-5347](#)

④ Does not include Models 413, 426, 440 CID

**B.I.D. ELECTRONIC IGNITION**

Year	Model/Engine	Distributor	Reluctor	Pickup	Elect. Control Unit	Rotor	Distributor Cap
1972-82	M318,M340, 360, 440	IDH-7001, 2S	18-5102	18-5103	18-5105	18-5407	18-5369
1979-82	318,340, 360, 440	IDH-7002,S, 3,3A,3AS,3S	18-5102	18-5103	18-5105	18-5407	18-5369
1983-88	318,340, 360, 440	IDH-7004, 7005	18-5102	18-5103	18-5105	18-5403	18-5352
1983-88	318,340, 360, 440	IDH-7006,A	18-5102	18-5103	18-5105	18-5403	18-5352

**18-5225**  
**SPARK PLUG WIRE KIT**



Replaces:

Mercury 84-99215A26,  
84-813706A26

Kit includes 25 ft. Roll of 7 MM Hypalon Ignition Wire With a Metallic Core and a Large Assortment of Three Different End Fittings to Fit Outboard Motors.



**18-5226**  
**IGNITION WIRE**  
**Metallic Core**  
 100' Spool • 7mm Hypalon


 <p>PKG. OF 10 <b>18-5224</b> <b>18-5224-9①</b> <b>SPARK PLUG WIRE TERMINAL</b> Replaces: Mercury 20121 OMC 510364</p>	 <p>PKG. OF 10 <b>18-5750</b> <b>18-5750-9①</b> <b>UNIVERSAL SPARK PLUG BOOTS</b> Supplied complete w/Terminal Connector Replaces: OMC 581027, 580339</p>	 <p><b>18-5752</b> <b>UNIVERSAL SPARK PLUG BOOT</b> 8mm</p>																																								
 <p><b>18-5840</b> <b>SOLENOID</b> Replaces: Prestolite 15-79, SAW4201, SAW4207, SAW4210</p>	 <p><b>18-5841</b> <b>SOLENOID</b> Replaces: 1692658 Prestolite</p>	 <p><b>BATTERY CABLES</b> Gauge cable with soldered lug terminals on each end to accept a 3/8" stud.</p> <table border="1"> <thead> <tr> <th>Part #</th><th>Size</th><th>Color</th><th>Gauge</th><th>Part #</th><th>Size</th><th>Color</th><th>Gauge</th></tr> </thead> <tbody> <tr> <td><b>BC88523</b></td><td>2'</td><td>red</td><td>4</td><td><b>BC88563</b></td><td>6'</td><td>red</td><td>2</td></tr> <tr> <td><b>BC88533</b></td><td>2'</td><td>black</td><td>4</td><td><b>BC88573</b></td><td>6'</td><td>black</td><td>2</td></tr> <tr> <td><b>BC88543</b></td><td>4'</td><td>red</td><td>2</td><td><b>BC88583</b></td><td>8'</td><td>red</td><td>1</td></tr> <tr> <td><b>BC88553</b></td><td>4'</td><td>black</td><td>2</td><td><b>BC88593</b></td><td>8'</td><td>black</td><td>1</td></tr> </tbody> </table>	Part #	Size	Color	Gauge	Part #	Size	Color	Gauge	<b>BC88523</b>	2'	red	4	<b>BC88563</b>	6'	red	2	<b>BC88533</b>	2'	black	4	<b>BC88573</b>	6'	black	2	<b>BC88543</b>	4'	red	2	<b>BC88583</b>	8'	red	1	<b>BC88553</b>	4'	black	2	<b>BC88593</b>	8'	black	1
Part #	Size	Color	Gauge	Part #	Size	Color	Gauge																																			
<b>BC88523</b>	2'	red	4	<b>BC88563</b>	6'	red	2																																			
<b>BC88533</b>	2'	black	4	<b>BC88573</b>	6'	black	2																																			
<b>BC88543</b>	4'	red	2	<b>BC88583</b>	8'	red	1																																			
<b>BC88553</b>	4'	black	2	<b>BC88593</b>	8'	black	1																																			
① Priced per Package																																										
<b>BRUSH SET/STARTER SWITCH APPLICATION</b>																																										
Year/Model	Volt	Original Starter No.	Starter Switch																																							
1960-88 LM318X,340X,M80A, 81,170A,M225A, X,M251X, 265X,273X,M318,A,B,C, X,M383BX,M413,B,D,E, X,M426B,D,E,X,M440, X,M155,200,225,250,260,300,335,375	12	MCL-6115 MDT-6010,11 MDT-7001,10 MDT-7002,14 MDT-7021,22 MDU-6003,10 MDU-7001	— <b>18-5840</b> <b>18-5841</b> <b>18-5840</b> — <b>18-5841</b> <b>18-5841</b>																																							
1961-69 M225,MH225,M273,A,B, LM318,B,M318A,B,C, M383,B,X,M413,E,M426 B,D,X,M426 Hemi	12 12 12 12 12 12 12 12 6 & 12	MDT-6010,11 MDT-7002,14 2095150 1779955 2,095,393,509 2095509 MDT-7002,14 MDT-7001,10 MDT-7001,10	<b>18-5841</b> <b>18-5841</b> <b>18-5841</b> <b>18-5841</b> <b>18-5841</b> <b>18-5841</b> <b>18-5841</b> <b>18-5841</b>																																							
1959-69	12 12 12	MDU-6003,10 MDT-7001,10 MDT-7002	<b>18-5841</b> <b>18-5841</b> <b>18-5841</b>																																							
1961-68	12	MDT-6010,11	<b>18-5840</b>																																							
1961-65	12	MDU-7001	<b>18-5841</b>																																							
1955-71 M26,46,46-4 (Ace),M27, 47,47-4, (Crown),M28, 36,37,38,44,44-3,48 (Royal)M45(Imperial), M45-3,46-3,47-3,M49	6 6 12 12 12 12	MCL-6102,M,07 MCL-6127,28,M MCL-6020M MCL-6115 MDT-6010,11M MDU-7013	— — — — <b>18-5840</b> —																																							
 <p><b>18-9802</b> <b>TIMING LIGHT</b> Self-powered accurate up to 10,000 RPM's</p>	<p><b>18-5710</b> <b>VOLTAGE REGULATOR</b> Replaces: 2847527, 2098300 Prestolite VSH-6201JY</p>	 <table border="1"> <thead> <tr> <th>Year/Model</th><th>Volt</th><th>Original Alt/Gen. No.</th></tr> </thead> <tbody> <tr> <td>1970-88 M273X,LM318X</td><td>12</td><td>ANE-5201S,2S,2YS</td></tr> <tr> <td>1972-77 225,318X,340,X,400,440</td><td>12</td><td>3527502</td></tr> </tbody> </table>	Year/Model	Volt	Original Alt/Gen. No.	1970-88 M273X,LM318X	12	ANE-5201S,2S,2YS	1972-77 225,318X,340,X,400,440	12	3527502																															
Year/Model	Volt	Original Alt/Gen. No.																																								
1970-88 M273X,LM318X	12	ANE-5201S,2S,2YS																																								
1972-77 225,318X,340,X,400,440	12	3527502																																								

<p><b>18-5723</b> <b>VOLTAGE REGULATOR (Field Relay)</b> Replaces: 2095946 (Use with 18-5710)</p> <table border="1" data-bbox="198 437 571 550"> <thead> <tr> <th>Year/Model</th><th>Volt</th><th>Original Alt/Gen. No.</th></tr> </thead> <tbody> <tr> <td>1961-70 B,D,X, M426 Hemi</td><td>12</td><td>2095860</td></tr> </tbody> </table> 	Year/Model	Volt	Original Alt/Gen. No.	1961-70 B,D,X, M426 Hemi	12	2095860	<p>Standard Rotation</p>  <p>CCW Rotation</p>  <p>If flywheel rotates to the left &amp; distributor rotor turns clockwise</p> <p>If flywheel rotates to the right &amp; distributor turns counter clockwise</p>
Year/Model	Volt	Original Alt/Gen. No.					
1961-70 B,D,X, M426 Hemi	12	2095860					
 <p><b>18-6270</b> <b>PERMANENT MAGNET I/O STARTER</b> Heavy Duty - 12 Volt 2 Bolt Mount - 1 Threaded Hole - CW Rotation Fits: Ford 460 Permanent Magnet I/O</p>	 <p><b>18-6835</b> <b>STARTER</b> Replaces: GM Engines Universal Used on all GM Engines with either 14 1/4" or 12 3/4" flywheels</p>	 <p><b>18-5954</b> <b>ALTERNATOR</b> Replaces: 3527501, 3527502, 3744870 61 Amps</p>					
 <p><b>18-7089</b> <b>CARB KIT</b></p>	 <p><b>18-7091</b> <b>CARB KIT</b></p>	 <p><b>18-7095</b> <b>CARB KIT</b></p>					
 <p><b>18-7725</b> <b>CARB KIT</b></p>	 <p><b>18-7726</b> <b>CARB KIT</b></p>	 <p><b>18-7201</b> <b>FLOAT</b> (Alcohol Resistant) Brass</p>					
<b>CARBURETOR KIT / FLOAT APPLICATION</b>							
Years	Cyl.	Model or Engine Displacement	Mfg. Code	Carb. Model	Carburetor Number	Float	Carb. Kit ①
1965 -Up	8	M-273-B,LM-318-B, M-340-B, M-360-B,M383-B,M-440-B	C-4	AFB	3980, 6130, 6212	—	<b>18-7089</b>
1965-69	8	M-318-B,M-383, M-413,M-426, M-440	C-4	AFB	3213, 3214, 3392, 3543, 4476, 4699, 9263, 9264	—	<b>18-7091</b>
—	8	318" (5.2L), 360" (5.9L)	R-4	4MV	17084001, 17086115, 17086116	<b>18-7201</b>	<b>18-7095</b>
—	8	M-80, M-81 318" (5.2L), 361" (5.9L) (2 Carb. Installation)	C-1	YH	2911, 3035, 3195	—	<b>18-7725</b>
—	6	M-225, M-225D, MH-225	C-2	BBD	3389, 3390, 4268	—	<b>18-7726</b>
—	8	M273A, M318A, M318G	C-2	BBD	3212, 3979, 3981	—	<b>18-7726</b>

① Does not include Metering Rods.

ALL SIERRA FUEL PUMPS INCLUDE MOUNTING GASKET


**18-8114  
FUEL LINE HOSE  
UNIVERSAL**

For fuel pump to carburetor connection. Replaces copper or steel tubing 3/8" X 31" PTFE composite hose with 5/8"-18 male inverted flare straight one end, 5/8"-18 90° one end. SAE J1527 type A1


**18-8115  
FUEL LINE HOSE  
UNIVERSAL**

For fuel pump to carburetor connection. Replaces copper or steel tubing 3/8" X 25" PTFE composite hose with 5/8"-18 male inverted flare straight one end, 5/8"-18 90° one end. SAE J1527 type A1

**FUEL WATER SEPARATORS**

Sierra offers a complete line of 10 and 21 micron fuel water separating filters including drainable bowl filters to protect your carbureted and fuel injected engine.


**Refer to pages 136-140 for a complete listing of OEM and universal applications.**

Sierra fuel water separators remove over 99.8% of emulsified water from your gasoline. Sierra's 10 micron filters are over 90% efficient at removing particles as small as 10 micron. All filters flow @ 90 GPH to feed even the hungriest motor. Sierra 10 micron filters are recommended to prevent damage to sensitive inboard and outboard fuel injection systems.

Sierra #	Chrysler #	Description
18-7964-1	—	Transmission Filter
<b>18-7230 FLAME ARRESTOR</b> <b>Replaces:</b> 4142886 Ht. 2.250 Element 1.470 Throat 5.050 1 Vent Tube		
<b>18-7254 FUEL PUMP</b> <b>Replaces:</b> 3745414 (Flange I.D. #6766, M6766) <b>For:</b> (V-8) 318,360		<b>18-7255 FUEL PUMP</b> <b>Replaces:</b> 3745415 (Flange I.D. #6767, M6767) <b>For:</b> (V-8) 361, 400, 413, 440
<b>18-7264 FUEL PUMP</b> <b>Replaces:</b> 2279913, 1736073 (Flange I.D. #40781, M6866) <b>For:</b> (V-8) 273, 318, 340, 360		<b>18-3551 THERMOSTAT</b> <b>Replaces:</b> 4142885 142° 2.125 O.D. x 1.500 H
		<b>18-3645 THERMOSTAT</b> <b>Replaces:</b> 2463441 For: 318 & 360 CID Engines 160°

		 <b>①18-3046D</b> Display Package								
<b>18-3047</b> <b>IMPELLER KIT</b> Contains: <b>18-3061</b> Impeller	<b>18-3060</b> <b>IMPELLER</b> Replaces: Sherwood 9959	<b>18-3046</b> <b>IMPELLER KIT</b> Replaces: Sherwood 9959 Contains: <b>18-3060</b> Impeller								
 <b>18-3061</b> <b>IMPELLER</b> Replaces: Sherwood 10615 For: GM engines with V-Belt	 <b>18-3168</b> <b>SEAL &amp; SEAT</b> Replaces: Sherwood 10927 For: 318 CID Engines (1975-77) & 360 CID Engines (1975)	 <b>18-3581</b> <b>CIRCULATING WATER PUMP</b> (Bi-Directional) Replaces: 3004886, 3745985, 3619542, 4417905 For: Engine Models 318, 340 & 360								
 <b>18-4456</b> <b>EXHAUST PROTECTOR VALVE</b> Includes Stainless Steel Clamp 3"	 <b>②18-4457D</b> Display Package <b>18-4457</b> <b>EXHAUST PROTECTOR VALVE</b> Includes Stainless Steel Clamp 4"	 <b>②18-4458D</b> Display Package <b>18-4458</b> <b>EXHAUST PROTECTOR VALVE</b> Includes Stainless Steel Clamp 5" & 6" (5" requires two 45° cuts)								
<b>OIL FILTERS</b>  <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Part #</th> <th style="text-align: left;">Replaces:</th> </tr> </thead> <tbody> <tr> <td><b>18-7875</b></td> <td>1851658, 56874, F724002 (Long)</td> </tr> <tr> <td><b>18-7878-1</b></td> <td>L-19, L-1008, 3549957 (Short)</td> </tr> <tr> <td><b>18-7879-1</b></td> <td>L-319</td> </tr> </tbody> </table> <p><b>SEE PAGES 182-184 &amp; 1147-1170 FOR ADDITIONAL INFORMATION</b></p>	Part #	Replaces:	<b>18-7875</b>	1851658, 56874, F724002 (Long)	<b>18-7878-1</b>	L-19, L-1008, 3549957 (Short)	<b>18-7879-1</b>	L-319	 <b>Display Package</b>	  <b>18-3878</b> <b>HEAD GASKET</b> Replaces: 4417375
Part #	Replaces:									
<b>18-7875</b>	1851658, 56874, F724002 (Long)									
<b>18-7878-1</b>	L-19, L-1008, 3549957 (Short)									
<b>18-7879-1</b>	L-319									
 <b>18-3860</b> <b>HEAD GASKET</b> Replaces: 4142880 For: 318 CID Engines	 <b>18-0609</b> <b>VALVE COVER GASKET</b> Replaces: 4273129 For: 318/340/360 CID	<b>PKG. OF 2</b>   <b>18-0499</b> <b>18-0499-9</b> <b>WATER PUMP PLATE GASKET</b> Replaces: 10612								
<small>① Priced per Package</small> <small>② Items ending in "D" are Display Packaged - Regular number is Non-Display</small>										

Fits Chrysler Small Block V8 318-360 cu. in.  
All Models 1966 & up with Fixed Exhaust




Item No.	Description	OE No.	Application
1	18-1940	MANIFOLD	4142322, 3675826 Chrysler Models 318-360CID Engines (1966 & Up); Use manifold mounting kit 18-8526 or 18-8527 (stainless).
2	18-2941	END CAP GASKET (OPEN)	2847480, 2469559 Fits: End Caps of Manifold (Starboard & Port) 18-1940; Risers: 18-1945; Elbows: 18-1946 & 18-1913
3	18-0472-1	END CAP GASKET (BLOCKED)	N/A Fits: End Caps of Manifold (Starboard & Port) 18-1940; Risers: 18-1945; Elbows: 18-1946 & 18-1913
4	18-1946	MANIFOLD ELBOW	3527794 Use in conjunction with 18-1945. 3" exhaust outlet & a 20° down angle.
5	18-1913	MANIFOLD ELBOW	2469639, 2847405 Use in conjunction with 18-1945. 3" exhaust outlet & a 90° down angle.
6	NSS	MOUNTING BOLT	N/A Included in 18-4360, 18-4361, & 18-8506 mounting kits.
7	18-1942	MANIFOLD END PLATE (OPEN)	2846106 Use with End Plate Gasket: 18-2941 (Open); Mounting Kit: 18-4360 (Open) or 18-4361 (Open); (Port & Starboard) Manifold: 18-1940
8	18-1941	MANIFOLD END PLATE (BLOCKED)	2469556, 3675826 Use with End Plate Gasket: 18-2941; Mounting Kit: 18-4360 or 18-4361; (Port & Starboard) Manifold: 18-1940
9	18-4461	HOSE FITTING	N/A 3/4" - 14NPT X 1" Hose (Corrosion Resistant Brass Fitting)
10	18-8216	HOSE FITTING	N/A 3/4" - 14 NPT x 1" Hose (Corrosion Resistant Brass Fitting)
11	18-4360	MOUNTING PACKAGE (OPEN GASKET)	N/A Use with End Plates: 18-1942 (open) or 18-1941 (Blocked); Riser/Elbow: 18-1945, 18-1946, 18-1913
12	18-4361	MOUNTING PACKAGE (OPEN GASKET)	N/A Use with End Plates: 18-1942 (open) or 18-1941 (Blocked); Riser/Elbow: 18-1945, 18-1946, 18-1913
13	18-8506	MOUNTING KIT (BLOCKED GASKET)	N/A Use with Riser/Elbow: 18-1945, 18-1946, 18-1913; End Plate: 18-1941 (Blocked)
14	18-8526	MOUNTING KIT	N/A Use with Manifold: 18-1940
15	18-8527	MOUNTING KIT (STAINLESS STEEL)	N/A Use with Manifold: 18-1940 (Kit has stainless steel studs and nuts)
16	18-4346	EXHAUST MANIFOLD GASKET SET	3745220 318 CID Engines (1969-85)
17	18-1945	MANIFOLD RISER	2846689 Use with Manifold: 18-1940; Riser Gasket: 18-2941 (Open) or 18-0472-1 (Closed); Mounting Kit: 18-4361 (Open) or 18-4360 (Open) or 18-8506 (Blocked)
18	18-8215	HOSE FITTING	N/A 3/4" - 14NPT X 3/4" Hose (Corrosion Resistant Brass Fitting)



Fits Chrysler Big Block V8 383-440 cu. in.

All Models Except 413 "E" with Staggered Bolt Pattern




Item No.	Description	OE No.	Application
1	NSS	MANIFOLD	E7081M, 3619659 Chrysler Models 383-440 cu.in. (V8 Big Block). Use with Manifold Gasket: <b>18-0474-1</b> ; Front Plate: <b>18-1911</b>
2	<b>18-0471</b>	ELBOW GASKET	N/A Gasket for Elbow: <b>18-1948</b> ; End Plate: <b>18-1911</b>
3	<b>18-1911</b>	END/FRONT PLATE	N/A Use with Elbow Gasket: <b>18-0471</b> , &/or Mounting Kit: <b>18-8501</b>
4	NSS	MOUNTING BOLT	N/A Included in <b>18-8501</b> mounting kit.
5	<b>18-8216</b>	HOSE FITTING	N/A 3/4" - 14 NPT x 1" Hose (Corrosion Resistant Brass Fitting)
6	<b>18-4461</b>	HOSE FITTING	N/A 3/4" - 14NPT X 1" Hose (Corrosion Resistant Brass Fitting)
7	<b>18-8215</b>	HOSE FITTING	N/A 3/4" - 14NPT X 3/4" Hose (Corrosion Resistant Brass Fitting)
8	<b>18-0474-1</b>	MANIFOLD GASKET	N/A
9	NSS	MOUNTING KIT	N/A Big Block (V8) 383-440 cu.in. (All models except 413"E" with offset bolt pattern) Includes <b>18-0474-1</b> Manifold Gasket
10	<b>18-1944</b>	RISER	2847404, 2847623, 3745639, E9923M Use with Manifold: <b>18-1940</b> ; Mounting Kit: <b>18-8518</b>
11	<b>18-8518</b>	MOUNTING KIT	N/A Use with Riser: <b>18-1944</b> .
12	N/A	EXTENSION	N/A Use in conjunction with <b>18-1948</b> . Use mounting kit: <b>18-8518</b> .
13	<b>18-1948</b>	RISER	E9234M Use with <b>18-8501</b> mounting kit.
14	NSS	MOUNTING BOLT	N/A
15	<b>18-8501</b>	MOUNTING KIT	N/A Used with Front Plate: <b>18-1911</b> ; Elbow: <b>18-1948</b>



**sierra**  
Marine Engine and Drive Parts

Fits Chrysler Small Block V8 318-360 cu. in.  
All Models 1966 & up with Swivel Exhaust



Item No.	Description	OE No.	Application
1	18-1940	MANIFOLD	4142322, 3675826 Chrysler Models 318-360CID Engines (1966 & Up); Use manifold mounting kit 18-8526 or 18-8527
2	18-2941	END CAP GASKET (OPEN)	2847480, 2469559 Fits: End Caps of Manifold (Starboard & Port) 18-1940. Included in 18-4360, & 18-4361 mounting kits.
3	18-1942	MANIFOLD END PLATE	2469556, 3675826 Use with End Plate Gasket: 18-2941; Mounting Kit: 18-4360 or 18-4361
4	NSS	MOUNTING BOLT	N/A Included in 18-4360, 18-4361, & 18-8506 mounting kits.
5	18-1941	MANIFOLD END PLATE	2846106 Use with End Plate Gasket: 18-0472-1 ; Mounting Kit: 18-8506
6	18-0472-1	END CAP GASKET (BLOCKED)	N/A Fits: End Caps of Manifold (Starboard & Port) 18-1940. Included in 18-8506 mounting kit.
7	18-8216	HOSE FITTING	N/A 3/4" - 14 NPT x 1" Hose (Corrosion Resistant Brass Fitting)
8	18-4461	HOSE FITTING	N/A 3/4" - 14NPT X 1" Hose (Corrosion Resistant Brass Fitting)
9	18-8215	HOSE FITTING	N/A 3/4" - 14NPT X 3/4" Hose (Corrosion Resistant Brass Fitting)
10	18-8527	MOUNTING KIT (STAINLESS STEEL)	N/A Use with Manifold: 18-1940 (Kit has stainless steel studs and nuts)
11	18-8526	MOUNTING KIT	N/A Use with Manifold: 18-1940
12	N/A	ELBOW	2600402 Use with Manifold: 18-1940. Use mounting kit 18-4360, 18-4361, or 18-8506.
13	18-8518	MOUNTING KIT	N/A Use with Riser: 18-1944
14	N/A	EXTENSION	N/A Use mounting kit: 18-8518.
15	18-1944	RISER	N/A Use with Manifold: 18-1940. Use with mounting kit: 18-8518
16	18-4360	MOUNTING PACKAGE (OPEN GASKET)	N/A Use with End Plates: 18-1942 (open) or 18-1941 (Blocked).
17	18-4361	MOUNTING PACKAGE (OPEN GASKET)	N/A Use with End Plates: 18-1942 (open) or 18-1941 (Blocked).
18	18-8506	MOUNTING KIT (BLOCKED GASKET)	N/A Use with End Plate: 18-1941 (Blocked).
19	18-4346	EXHAUST MANIFOLD GASKET SET	3745220 318 CID Engines (1969-85)



**Sierra**  
Marine Engine and Drive Parts

## ALL SIERRA MANIFOLDS ARE PAINTED, PACKAGED AND LEAK TESTED

**18-1940****MANIFOLD**

Port &amp; Starboard

**Replaces:** 4142322, 3675826

Barr CM-1-6677A

Fits: Chrysler Model 273, 318, 340 &amp; 360

CID engines (1973-1986)

Use with:

End Cap Gasket: **18-2941** Open or **18-0472-1** BlockedMounting Kit: **18-4360** Open or **18-4361** Open or **18-8506** BlockedEnd Plate: **18-1941** Blocked or **18-1942** Open

Note: If using a blocked end plate either gasket will work. If using an open end plate use only an open gasket.

**18-1997-1****MANIFOLD**

Port &amp; Starboard

**Replaces:** Barr CHV-1-83

Universal Center Riser Manifold

FITS:

Chriscraft 283, 302, 307 and 350 CID engines

Crusader 283 and 327 CID engines thru 1964; 305, 307 and 350 CID engines 1965 and later

Daytona 200-283 and 300-327

Flagship 283, 327 and 350 CID engines

Pacer 305, 307 and 350 CID engines 1965 and later

Mercury 190, 198, 225, 250, 270, 228, 898, 260, 255 and 280 models

OMC 283, 305, 307 and 350 CID engines 1968-1980

Volvo 307 and 350 CID engines

Use **18-0604** Exhaust Manifold Gasket Set**\*For Exploded View - See Pages 638-639****18-1898****MANIFOLD**

Port &amp; Starboard

**Replaces:** Barr CHVA-1-84, Marine Power 0991-110

Fits: 454 cu.in. GM big block V8 engines

Use with:

Exhaust Manifold Gasket: **18-0418****\*For Exploded View - See Pages 636-637****18-1939****RISER****Replaces:** Barr 20-0100, Marine Power 0992-593

Barr, Indmar and Marine Power Ford Small Block V8 302-351 cu.in., GM Small Block V8 305-350cu.in., GM Big Block V8 454cu.in.

Use with:

Manifold: **18-1997-1** or **18-1998-1** or **18-1898**Riser Gasket: **18-2854-1** open or **18-0476-1** blockedMounting Kit: **18-4364** open or **18-8535** blocked**18-1945****RISER****Replaces:** 2846689, Barr CM-20-6674

Fits: Chrysler Model 273, 318,

340 &amp; 360 CID engines (1966-1986)

Use with:

Manifold: **18-1940**Riser Gasket: **18-2941** open or **18-0472-1** blockedMounting Kit: **18-4361** open or **18-4360** open or **18-8506** blocked**18-1944****RISER****Replaces:** 2847404, 2847623,

3745639, E9923M

Barr CM-20-414211

Chrysler Small Block V8 318-360cu.in.

(All models 1966 and up with swivel exhaust),

Big Block V8 383-440cu.in. (All models except

413"E" with offset bolt pattern)

Use with:

Manifold: **18-1940**Mounting Kit: **18-8518****18-1907****RISER****Replaces:** Barr 20-0102, Indmar 53-2009, 53-2018

Barr and Indmar Ford Small Block V8 302-351cu.in.

Use with:

Manifold: **18-1997-1** or **18-1998-1**Riser Gasket: **18-2854-1** open or **18-0476-1** blockedMounting Kit: **18-4364** open or **18-8535** blocked**18-1946****ELBOW****Replaces:** 3527794

Barr CM-20-6672




Fits Chrysler Model 273, 318,



340 &amp; 360 CID engines (1966-1986)

will work in conjunction with **18-1945**

Use with:

Manifold: **18-1940**Elbow Gasket: **18-2941** open or **18-0472-1** blockedMounting Kit: **18-4360** open or **18-4361** open or **18-8506** blocked

 <p><b>18-1913 ELBOW</b> Replaces: Chrysler 2469556, 2469639, 2847405 Chrysler Small Block V8 318-360 cu.in. (All Models 1966 and up with fixed exhaust) For: 18-1940 Manifold will work in conjunction with 18-1945 Use with: Elbow Gasket: 18-2941 open or 18-0472-1 blocked Mounting Kit: 18-4360 open or 18-4361 open or 18-8506 blocked</p>	 <p><b>18-1948 ELBOW</b> Replaces: Chrysler E9234M Barr CM-20-9234 Chrysler Big Block V8 383-440cu.in. (All Models except 413"E" with offset bolt pattern) Use with: Elbow Gasket: 18-0471 Mounting Kit: 18-8501</p>	
 <p><b>18-1911 MANIFOLD END PLATE</b> Chrysler Big Block V8 383-440cu.in. (All Models except 413"E" w/offset bolt pattern) Used with: Front/End Plate Gasket: 18-0471 Mounting Kit: 18-8501</p>	 <p><b>18-1941 MANIFOLD END PLATE</b> Replaces: 2846106 Barr CM-1-6672-B Used with: End Plate Gasket: 18-2941 open or 18-0472-1 blocked Mounting Kit: 18-4360 open or 18-4361 open or 18-8506 blocked</p>	
 <p><b>18-1942 MANIFOLD END PLATE</b> with hole Replaces: 24695566, 3675826 Barr CM-1-6672-H Used with: End Plate Gasket: 18-2941 Mounting Kit: 18-4360 or 18-4361 Fits: 18-1940 Manifold</p>	 <p><b>18-0607 INTAKE MANIFOLD GASKET SET</b> Replaces: 3745217 For: 318 CID Engines (1969-82)</p>	
 <p><b>18-4346 EXHAUST MANIFOLD GASKET SET</b> Replaces: 3745220 For: 318 CID Engines (1969-85)</p>	 <p><b>18-0474-1 MANIFOLD GASKET</b></p>	
 <p><b>18-0471 ELBOW GASKET</b> Used with: Elbow: 18-1948 End Plate: 18-1911</p>	 <p><b>18-0472-1 (Blocked) ELBOW GASKET</b> Used with: Riser/Elbow: 18-1945, 18-1946, 18-1913 End Plate: 18-1941</p>	
 <p><b>18-0956-1 EXHAUST MANIFOLD GASKET</b> Replaces: 118-614 For: 460 CID</p>	 <p><b>18-4360 (Open) EXHAUST ELBOW MOUNTING KIT</b> Barr CM206672JP Use with: Exhaust Elbow: 18-1946, 18-1913, 18-1945 End Plate: 18-1942 open or 18-1941 blocked</p>	 <p><b>18-4361 (Open) EXHAUST ELBOW MOUNTING KIT</b> Barr CM-20-6674P Use with: End Plate: 18-1942 open or 18-1941 blocked Riser: 18-1945 Elbow: 18-1946, 18-1913</p>

 <p><b>18-4364 (Open) EXHAUST ELBOW KIT</b> Replaces: Barr 20-0082-P Use with: Riser: 18-1999, 18-1907, 18-1939</p>	<p>PKG. OF 2</p>  <p><b>18-2941 (Open) 18-2941-9① END CAP GASKET</b> Replaces: 2847480, 2469559 Use with: End Plate: 18-1941, 18-1942 Riser/Elbow: 18-1945, 18-1946, 18-1913 For: 318CID Engines</p>	 <p><b>18-8501 EXHAUST ELBOW MOUNTING KIT</b> Barr CM-20-9234 P Chrysler Big Block V8 383-440 cu.in. (Models: All except 413 "E" with offset bolt pattern) Used with: Front Plate: 18-1911 Elbow: 18-1948</p>																
 <p><b>18-8506 EXHAUST ELBOW MOUNTING KIT</b> Replaces: Barr CM-20-6674JP Chrysler Small Block V8 318-360 cu.in. (All models 1966 and up with swivel and fixed exhaust) Used with: Riser: 18-1945 Elbow: 18-1946, 18-1913 End Plate: 18-1941 blocked</p>	 <p><b>18-8518 EXHAUST ELBOW MOUNTING KIT</b> Replaces: Barr CM-20-9232P Chrysler Small Block V8 318-360cu.in. (All models 1966 and up with swivel exhaust), Big Block V8 383-440cu.in. (All models except 413 "E" with offset bolt pattern) Used with: Riser: 18-1944</p>	 <p><b>18-8526 EXHAUST MANIFOLD MOUNTING KIT</b> Chrysler Small Block V8 318-360cu.in. (All models 1966 and up with swivel and fixed exhaust) Used with: Manifold: 18-1940</p>																
 <p><b>18-8527 EXHAUST MANIFOLD MOUNTING KIT</b> Replaces: Barr CM-1-6677SS P Chrysler Small Block V8 318-360cu.in. (All models 1966 and up with swivel and fixed exhaust) Used with: Manifold: 18-1940 (Kit has stainless steel studs and nuts)</p>	 <p><b>18-8535 EXHAUST ELBOW MOUNTING KIT</b> Barr, Indmar and Marine Power Ford Small Block V8 302-351cu.in., GM Small Block V8 305-350cu.in., GM Big Block V8 454cu.in. Used with: Risers: 18-1939, 18-1999, and 18-1907</p>	 <p><b>18-8536 EXHAUST ELBOW MOUNTING KIT</b> Barr, Indmar and Marine Power GM Small Block V8 305-350cu.in. Used with: Manifold: 18-1997-1</p>																
 <p><b>PIPE PLUGS</b></p> <table border="1"> <thead> <tr> <th>Part #</th> <th>Thread Size</th> <th>Part #</th> <th>Thread Size</th> </tr> </thead> <tbody> <tr> <td>18-4256</td> <td>1/4"</td> <td>18-4263</td> <td>1/8" - 27 NPT</td> </tr> <tr> <td>18-4257</td> <td>1/4"</td> <td>18-4264</td> <td>3/8" - 18 NPT</td> </tr> <tr> <td>18-4258</td> <td>3/4"</td> <td></td> <td></td> </tr> </tbody> </table> <p>56507 Pipe Sealant with Teflon® is recommended for use on plug threads.</p>	Part #	Thread Size	Part #	Thread Size	18-4256	1/4"	18-4263	1/8" - 27 NPT	18-4257	1/4"	18-4264	3/8" - 18 NPT	18-4258	3/4"			 <p><b>18-4218D Display Package</b> <b>18-4218 BRASS DRAIN COCK (1/4")</b> Used with: Most O.E.M. Manifolds 18-3223-9 (Bulk Pack of 12)</p>	 <p><b>18-8538 EXHAUST MANIFOLD MOUNTING KIT</b> Barr and Indmar Ford Small Block V8 302-351cu.in. Used with: Manifold: 18-1998-1</p>
Part #	Thread Size	Part #	Thread Size															
18-4256	1/4"	18-4263	1/8" - 27 NPT															
18-4257	1/4"	18-4264	3/8" - 18 NPT															
18-4258	3/4"																	
 <p><b>18-7512 EXHAUST ELBOW SEAL KIT</b> Replaces: 7087-OR For use with 18-1944 Exhaust Riser</p>	<p>PKG. OF 8</p>  <p><b>FREEZE PLUGS</b> 18-5961 18-5962 18-5961-9 18-5962-9 1 5/8" 1 3/4" BRONZE</p>	 <p><b>18-4461 HOSE BARB</b> 3/4" - 14 NPT x 1" Hose Corrosion Resistant Brass Fitting</p>																
 <p><b>18-8215 HOSE BARB</b> Fits: Chrysler V8</p>	<p><b>18-8216 HOSE BARB</b> Fits: Chrysler-Small Block V8 (318-360ci), Big Block V8(383-440)</p>																	

① Priced per Package

② Items ending in "D" are Display Packaged - Regular number is Non-Display